


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"062110".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 11:33
L2	35651	(search\$3 or quer\$3) with (pair or two)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 11:33
L3	2018	(queries) with (pair or two)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 11:33
L4	13	3 and (candidat\$ with pair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:49
L5	366	2 and (candidat\$ with pair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 11:34
L6	21	5 and (frequency with occur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 11:36
L7	18	6 and @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:41
L8	0	4 and (frequency with occur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:29

L9	2408	2 and (frequency with occur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:29
L10	1712	9 and @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:30
L11	104	10 and ((calculat\$2 or comput\$3) with pair) and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:31
L12	29	11 and (list with quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:31
L13	254	5 and @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:59
L14	0	13 and (queries with list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:41
L15	50	13 and (queries)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:41
L16	2	15 and (synonyms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:42

L17	4	15 and (calculat\$ with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:44
L18	9	15 and (calculat\$ with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:50
L19	146	3 and (quer\$3 with log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:50
L20	5	19 and (calculat\$ with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:55
L21	2	19 and (calculat\$ with common)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:56
L22	3	19 and (item with common)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:57
L23	4	(list with quer\$3) and (common with information) and (candidat\$ with pair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:59
L24	39	(list with quer\$3) and (candidat\$ with pair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:59

L25	20	24 and @ad<"20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:48
L26	4	25 and (707/3).ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:49
L27	3	25 and (707/5).ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:49
L28	2	25 and (707/4).ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:49



Web Results 1 - 6 of about 7 for **"candidate pair" search formulate queries frequency threshold**. (0

Tip: Try removing quotes from your search to get more results.

[PDF] Search Algorithms for Biosequences Using Random Projection

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... be a **candidate pair** if they have length above some **threshold** k and match ...
search for sequences within a fixed Hamming distance of a query sequence. ...

www.cs.wustl.edu/~jbuhler/thesis.pdf - [Similar pages](#)

[PDF] Learnable Similarity Functions and Their Applications to Record ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... by the binary classifier for each **candidate pair**, and pairs are sorted ...
 The optimum **threshold frequency** for macro detection can be selected by cross- ...

www.cs.utexas.edu/users/ml/papers/marlin-proposal-03.pdf - [Similar pages](#)

[PS] Semantic Lexicon Acquisition for Learning Natural Language ...

File Format: Adobe PostScript - [View as Text](#)

... the training examples are analyzed to **formulate** an overly-general shift-reduce
 parser ... Calculate the heuristic value of the new **candidate pair** $(p; m)$...

www.cs.utah.edu/~cindi/papers/wolfie-dissertation-98.ps.gz - [Similar pages](#)

A cluster-<a href="list ...

... [0009] The standard formulation of cluster **search** presumes a query, ...
 a situation in which it is hard, if not impossible to **formulate** such a query. ...

gauss.bacon.su.se/sql/view.php?p=EP980043 - 120k - [Cached](#) - [Similar pages](#)

A cluster-<a href="list ...

... a situation in which it is hard, if not impossible to **formulate** such a query.
 ... $c > \text{frequency} \geq d$ (segment d), and **frequency** $\leq d$ (segment e). ...

gauss.bacon.su.se/sql/view.php?p=EP542429 - 123k - [Cached](#) - [Similar pages](#)

A cluster-<a href="list ...

... it is hard, if not impossible to **formulate** such a ... may be examined, or some directed
search tool might ... by determining one inner product for each **candidate pair**. ...

patdb.ffii.org/sql/view.php?p=EP980043 - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very
 similar to the 6 already displayed.*

If you like, you can repeat the search with the omitted results included.

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  emails -  files -  chats -  web history -  media -  PDF

"candidate pair" search formulate **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google